

FIG. 1




FIG. 2




FIG. 3a

09905590-071301





FIG. 3b



111




FIG. 4a




FIG. 4b







FIG. 4c





- the Faculty, in part, use a library of current works
- in connection with the Faculty, use a well furnished engine

FIG. 6a.

FIG. 6a.




FIG. 5b
(Execution)

Specific example where
 - and data address
 - used as "speed correction"




FIG. 7a




FIG. 7b




FIG. 7c




FIG. 7d




FIG. 7e




FIG. 8a




FIG. 86




FIG. 8c




FIG. 8d

Conversance Engine


524

741

History Engine

525

751



uses
group
role
use,
etc.




FIG. 8e

FIG. 8f

Info Retriever

527

761




FIG. 8g

not on split
- look for
current "add"
and path
... ..

- Review
Security
for experiences
- Note extra causes
Executor function
- Make sure download
of "command set"
is correct - "attaching to"
... ..

different with user history
... ..

... ..
... ..
... ..




FIG. 6A




FIG. 6B




FIG. 6C

GCD

FIG. 6D







FIG. 6E



OCD



① ID user ← initially ongoing lines (optional)

- MIC ID (eg 2 digits) ← as ID
- touch
- voice print
- localizer (if using multiple users to sound energy)
- acoustics
- etc.
- anonymous

can analyze or speaker can say into 1-N for someone

a voice print to allow ID up or further de-identified locally, with an another... identity or other

→ where unique mic ID's, can easily record, but still need ID for use if transfer is applicable.

Figure 8

0995590.0301
T0E120"06550660




FIG. 8





FIG. 5
(VI Converter)

Application
Program
Screenshot

File	Edit	View	Tools	Message
News	Reply	Forward	Print	Delete Send Addresses
Inbox :				
Folder	Flag	To:	From:	Subject:
<input type="checkbox"/> Mailbox	<input checked="" type="checkbox"/>	Tom	Bob	Gift
<input checked="" type="checkbox"/> Inbox		Tom	Dave	Patent
<input type="checkbox"/> Sent		Tom	Fred	Car
<input type="checkbox"/> Work		Tom	Brenda	Dinner
<input type="checkbox"/> Jokes				
<input type="checkbox"/> Trash				

FIG. 10

Example
Command
Execution
Module



0905590-071301

FIG. 1A




FIG. 11B




FIG. 12

ContactName - Properties

Sum Name Home Biz Pers Other

Look in

From

To

Subject

Message

Rec Before ☐ ☐

Rec After ☐ ☐

ContactName - Properties

File Edit View Message

Look in

From

To

Subject

Message

Rec Before ☐ ☐

Rec After ☐ ☐

Message-1
Message-2
Message-3

Address Book - Main Identity

File Edit View Tools Help

☐ CFI Contact-1
☐ CFI Contact-2
☐ CFI Contact-3
☐ CFI Contact-4

F16.13






FIG. 14

For Little Talk Future

continue / repeat / stop



Remote Handling (predominant circumstances)



- Each potentially enclosing data carrying
- The forms (primarily) better linked up

